

Concrete Mixer
Overall Length
Overall Width
Overall Body Height
Min Body Ground Clearance
Max Track Width
Lock-to-lock time
Curb to Curb Turning Radius

27.428ft 7.841ft 13.211ft 1.173ft 7.917ft 6.00s 26.936ft

Truck Routing to be used while Main is closed





CONSTRUCTION

Ottawa Buildings 49 Auriga Drive Nepean, ON K2E 8A1 T: (613) 225-6130

TOGETHER WE BUILD SUCCESS

THIS DRAWING IS FOR THE SOLE USE OF ANY PCL OPERATING COMPANY, OR ANY PCL JOINT VENTURE 'COMPANY, IT IS NOT TO BE USED, ALTERED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE PCL FAMILY OF COMPANIES.

LEGEND

CONSTRUCTION **FENCING**

CRANE RADIUS

CAISSON WALL

SHORING

CONSTRUCTION VEHICLE TRAFFIC FLOW

VEHICLE BODY OUTLINE

CHASSIS OUTLINE

VEHICLE BODY OUTLINE (REVERSE)

CHASSIS OUTLINE (REVERSE)

SIDEWALK/ROADS OUTLINE




As indicated 05/21/21 Author Checker BE180040


> 115 ECHO CANAL CONDOMINUM

TRUCK TURN TEMPLATE -ROUTE #5

TT-005

TRUCK TURNING ROUTE 5






Mack 10x4 Concrete Agitator Overall Length Overall Width Overall Body Height Min Body Ground Clearance Track Width Lock-to-lock time Curb to Curb Turning Radius

0.546ft 8.202ft 4.00s 35.597ft

Proposed truck routing 2022 while Main is opened



TT-003-A/

ECHO DR. & CONCORD ST.



Ottawa Buildings 49 Auriga Drive Nepean, ON K2E 8A1 T: (613) 225-6130

TOGETHER WE BUILD SUCCESS

THIS DRAWING IS FOR THE SOLE USE OF ANY PCL
OPERATING COMPANY, OR ANY PCL JOINT VENTURE'
COMPANY. IT IS NOT TO BE USED, ALTERED OR
REPRODUCED WITHOUT THE WRITTEN PERMISSION OF
THE PCL FAMILY OF COMPANIES.

LEGEND

CONSTRUCTION **FENCING**

CRANE RADIUS

SHORING

CAISSON WALL

CONSTRUCTION VEHICLE TRAFFIC FLOW

> VEHICLE BODY OUTLINE

CHASSIS OUTLINE

VEHICLE BODY OUTLINE (REVERSE)

CHASSIS OUTLINE (REVERSE) SIDEWALK/ROADS OUTLINE

DESCRIPTION

As indicated 04/28/21 Author Checker BE180040


> 115 ECHO CANAL CONDOMINUM

TRUCK TURN TEMPLATE -**ROUTE 3**

TT-003-A

TRUCK TURNING ROUTE 3





Mack 10x4 Concrete Agitator Overall Length Overall Width Overall Body Height Min Body Ground Clearance Track Width Lock-to-lock time Curb to Curb Turning Radius

29.423ft 8.202ft 10.828ft 0.546ft 8.202ft 4.00s 35.597ft

Alternative Truck
Routing in 2022
while Main is open





CONSTRUCTION

Ottawa Buildings 49 Auriga Drive Nepean, ON K2E 8A1 T: (613) 225-6130

TOGETHER WE BUILD SUCCESS

THIS DRAWING IS FOR THE SOLE USE OF ANY PCL OPERATING COMPANY, OR ANY PCL JOINT VENTURE 'COMPANY, IT IS NOT TO BE USED, ALTERED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE PCL FAMILY OF COMPANIES.

LEGEND

CONSTRUCTION FENCING

- CRANE RADIUS

- - SHORING

CAISSON WALL

CONSTRUCTION VEHICLE TRAFFIC FLOW

VEHICLE BODY OUTLINE

CHASSIS OUTLINE

VEHICLE BODY
OUTLINE (REVERSE)

CHASSIS OUTLINE (REVERSE)

SIDEWALK/ROADS OUTLINE



 SCALE:
 As indicated

 DATE:
 04/28/21

 DRAWN BY:
 Author

 CHECKED BY:
 Checker

 PCL PROJECT #:
 BE180040

115 ECHO CANAL CONDOMINUM


TRUCK TURN TEMPLATE -ROUTE 1

TT-001-A

TRUCK TURNING ROUTE 1

1:900





Mack 10x4 Concrete Agitator Overall Length Overall Width Overall Body Height Min Body Ground Clearance Track Width Lock-to-lock time Curb to Curb Turning Radius

29.423ft 8.202ft 10.828ft 0.546ft 8.202ft 4.00s 35.597ft

Alternative Truck Routing in 2022 while Main is open





CONSTRUCTION

Ottawa Buildings 49 Auriga Drive Nepean, ON K2E 8A1 T: (613) 225-6130

TOGETHER WE BUILD SUCCESS

THIS DRAWING IS FOR THE SOLE USE OF ANY PCL OPERATING COMPANY, OR ANY PCL JOINT VENTURE 'COMPANY, IT IS NOT TO BE USED, ALTERED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE PCL FAMILY OF COMPANIES.

LEGEND

CONSTRUCTION FENCING

- CRANE RADIUS

- - SHORING

CAISSON WALL

CONSTRUCTION VEHICLE TRAFFIC FLOW

VEHICLE BODY OUTLINE

CHASSIS OUTLINE

VEHICLE BODY
OUTLINE (REVERSE)

CHASSIS OUTLINE (REVERSE)

SIDEWALK/ROADS OUTLINE



 SCALE:
 As indicated

 DATE:
 04/28/21

 DRAWN BY:
 Author

 CHECKED BY:
 Checker

 PCL PROJECT #:
 BE180040

115 ECHO CANAL CONDOMINUM

TRUCK TURN TEMPLATE -ROUTE 2

TT-002-A

TRUCK TURNING ROUTE 2